



DRIVE RING









SECTION A–A



COMPLETE ASSEMBLY
EST WT = 81.4 lb [36.9 kg]
DRIVE RING & FRICTION DISCS (PTO DIS-ENGAGED)
EST WT = 5.53 lb [2.51 kg]
EST WR² = 0.784 lb·ft² [0.033 kg·m²]
ALL ROTATING MEMBERS (PTO ENGAGED)
EST WR² = 0.767 lb·ft² [0.0323 kg·m²]

REFERENCE "APPENDIX A" IN INSTALLATION AND MAINTENANCE MANUAL, WIM-TD-006, FOR FOLLOWING INFORMATION:

* CLUTCH ADJUSTMENT
* MAIN BEARING ENDPLAY SETTING (SET FOR SIDELOAD)
* LUBRICATION
* PILOT BEARING INSTALLATION
* BOLT TORQUE
* THREADLOCKER REQUIREMENT
* HUB NUT TORQUE
* SIDELOAD RATINGS (REFERENCE CHART NO: 108-1000)

REV	REVISIONS	DATE	BY
B	EC017887	6/17/2022	RC

WPT POWER CORPORATION ENGINEERING DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM WHATSOEVER WITHOUT AUTHORIZATION

DRAWN	RC	DATE 31 Jul 19
CHECKED	RDH	DATE 6/16/2022
APPROVED	RDH	DATE 6/16/2022
ISSUED	RC	DATE 14 Aug 19

WPT POWER

C108 MECH PTO,SAE #3 BH,62MM PB

THIRD ANGLE PROJECTION

PART NUMBER	REVISION	SHEET	OF
P08-13AC-000	B	1	3

1 SEE CLUTCH PACK DRAWING FOR OTHER IMPORTANT DETAILS.

2 SHIP LOOSE



SECTION C–C

WPT POWER CORPORATION
ENGINEERING DRAWINGS
ARE NOT TO BE REPRODUCED
IN ANY FORM WHATSOEVER
WITHOUT AUTHORIZATION

WPT POWER

C108 MECH PTO,SAE #3 BH,62MM PB

DRAWN	DATE	CHECKED	DATE	APPROVED	DATE	ISSUED	DATE
RC	31 Jul 19	RDH	6/16/2022	RDH	6/16/2022	RC	14 Aug 19

THIRD ANGLE PROJECTION

PART NUMBER	REVISION	SHEET	OF
P08-13AC-000	B	2	3



SECTION B–B



WPT POWER CORPORATION
ENGINEERING DRAWINGS
ARE NOT TO BE REPRODUCED
IN ANY FORM WHATSOEVER
WITHOUT AUTHORIZATION

WPT POWER

C108 MECH PTO,SAE #3 BH,62MM PB

THIRD ANGLE PROJECTION

DRAWN	RC	DATE	31 Jul 19
CHECKED	RDH	DATE	6/16/2022
APPROVED	RDH	DATE	6/16/2022
ISSUED	RC	DATE	14 Aug 19

PART NUMBER	REVISION	SHEET	OF
P08-13AC-000	B	3	3